## In the Claims:

Please cancel all claims presently pending in the application without prejudice.

## Please add new claims 17-33 as follows:

-- 17. An isolated DNA consisting essentially of nucleotides encoding a protein having the amino acid sequence of SEQ ID NO:2 or SEQ ID NO:4, wherein said protein has transaldolase enzymatic activity.

W Y 18:

An isolated DNA consisting of nucleotides encoding a protein having the amino acid sequence of SEQ ID NO:2 or SEQ ID NO:4, wherein said protein has transaldolase enzymatic activity.

- 3 19. The isolated DNA of claim 17, wherein said DNA has the complete nucleotide sequence of SEQ ID NO:1 nucleotides 2471 to 3550 or SEQ ID NO:3 nucleotides 1 to 1080.
- The isolated DNA of claim 17, wherein said DNA has the complete nucleotide sequence of SEQ ID NO:1 nucleotides 2471 to 3550 and degenerate variants thereof encoding a protein with transaldolase enzymatic activity having the amino acid sequence of SEQ ID NO:2.
- The isolated DNA of claim 17, wherein said DNA has the complete nucleotide sequence of SEQ ID NO:3 nucleotides 1 to 1080 and degenerate variants thereof encoding a protein with transaldolase enzymatic activity having the amino acid sequence of SEQ ID NO:4.
- An isolated DNA comprising a nucleotide sequence selected from the group consisting of SEQ ID NO:1 nucleotides 2471 to 3550; the full complement of SEQ ID NO:1 nucleotides 2471 to 3550, SEQ ID NO:3 nucleotides 1 to 1080 and the full complement of SEQ ID NO:3 nucleotides 1 to 1080.

- An isolated DNA comprising a nucleotide sequence selected from the group consisting of: SEQ ID NO:1, the full complement of SEQ ID NO:1, SEQ ID NO:3; and the full complement of SEQ ID NO:3.
  - 24. An isolated DNA encoding a protein having transaldolase enzymatic activity with an amino acid sequence that is at least 80% identical to that of SEQ ID NO:2 or SEQ ID NO:4, and wherein said transaldolase enzymatic activity is essentially the same as that of the protein of SEQ ID NO:2 or SEQ ID NO:4 or the same as that of the protein encoded by pSUZ1 shown in figure 1 and deposited under deposition number DSM 13263.
  - An isolated DNA encoding a protein having transaldolase enzymatic activity with an amino acid sequence that is at least 90% identical to that of SEQ ID NO:2 or SEQ ID NO:4, and wherein said transaldolase enzymatic activity is essentially the same as that of the protein of SEQ ID NO:2 or SEQ ID NO:4 or the same as that of the protein encoded by pSUZ1 shown in figure 1 and deposited under deposition number DSM 13263.

An isolated DNA encoding a protein having transaldolase enzymatic activity with an amino acid sequence that is at least 95% identical to that of SEQ ID NO:2 or SEQ ID NO:4, and wherein said transaldolase enzymatic activity is essentially the same as that of the protein of SEQ ID NO:2 or SEQ ID NO:4 or the same as that of the protein encoded by pSUZ1 shown in figure 1 and deposited under deposition number DSM 13263.

1/10

N 27. A vector comprising the DNA of any one of claims 17-26.

110

A host cell comprising the isolated DNA of any one of claims 17-26.

A bacterium transformed with the vector of claim 27.

44 W 26.

- A vector for expressing the transaldolase protein of Corynebacterium glutamicum comprising a promoter and a coding sequence, wherein said coding sequence consists of the DNA of any one of claims 17-26.
- 31. The vector of claim 36, wherein said vector is pSUZ1 deposited under deposition number DSM 13263.
  - A bacterium transformed with the vector of claim 30.

The bacterium of claim 31 wherein said bacterium is Escherichia coli JM109/pSUZ1 deposited under Deposition number DSM 13263. --